

PLUS - Static Preparation

## Столы-шкафы с 1 полкой, 2 раздвижными дверцами и бортиком 1800, 2000 мм Electrolux Professional 134037, 134038

Технические характеристики

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Казахстан (772)734-952-31

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

# PLUS - Static preparation

## Стол-шкаф с 1 полкой, 2 раздвижными дверцами и бортиком, 1800 мм



134037 (GTN1810E)

Стол-шкаф с 1 полкой, 2 раздвижными дверцами и бортиком, 1800 мм

### Описание

Enhanced stability and solid construction thanks to the welded frame and legs. The 50mm high worktop in 304 AISI stainless steel, with Scotch Brite finishing 15/10 mm in thickness, has anti-drip edges and welded corners. 18mm thick undertop waterproof reinforcement, it's completely waterproof, double-sided laminated and 100% recyclable. Sound-deadened double walled sliding doors on roll bearings with end limit stop (7/10 in thickness in 304 AISI stainless steel). Upstand h=100mm with 10mm radius corner covered on the back with AISI 304 stainless steel spot welded profile. 40mm intermediate shelf (8/10 in thickness) can be positioned at three different heights. Base panel in AISI 304 stainless steel (8/10 in thickness) with upturned edges reinforced by stainless steel AISI 304 bars. Welded to the legs for further structure reinforcement. Height adjustable feet (-20/+30 mm) in 304 AISI stainless steel.

### Характеристики

- Конструкция из нержавеющей стали AISI 304.

### Конструкция

### Опции

- 4 колеса (2 с тормозом),  
диам. 125 мм


PNC 855207 ☐

PLUS - Static Preparation  
Стол-шкаф с 1 полкой, 2 раздвижными дверцами и бортиком,  
1800 мм


## PLUS - Static Preparation

### Стол-шкаф с 1 полкой, 2 раздвижными дверцами и бортиком, 1800 мм


Вид спереди



Вид сбоку



Вид сверху



#### Основная информация

|                              |                   |            |
|------------------------------|-------------------|------------|
| Ширина шкафа:                | 134037 (GTN1810E) | 1718 mm    |
| Глубина шкафа:               |                   | 580 mm     |
| Высота шкафа:                |                   | 580 mm     |
| Габариты, ширина:            |                   | 1800 mm    |
| Габариты, высота:            |                   | 1000 mm    |
| Габариты, глубина:           |                   | 700 mm     |
| Высота бортика:              |                   | 100 mm     |
| Толщина бортика:             |                   | 13 mm      |
| Толщина рабочей поверхности: |                   | 50 mm      |
| Вес нетто:                   |                   | 95 кг      |
| Adjustable Feet              |                   | -20/+30 mm |

PLUS - Static preparation

Стол-шкаф с 1 полкой, 2 раздвижными дверцами и бортиком, 2000 мм



134038 (GTN2010E)

Стол-шкаф с 1 полкой, 2 раздвижными дверцами и бортиком, 2000 мм

Описание

Enhanced stability and solid construction thanks to the welded frame and legs. The 50mm high worktop in 304 AISI stainless steel, with Scotch Brite finishing 15/10 mm in thickness, has anti-drip edges and welded corners. 18mm thick undertop waterproof reinforcement, it's completely waterproof, double-sided laminated and 100% recyclable. Sound-deadened double walled sliding doors on roll bearings with end limit stop (7/10 in thickness in 304 AISI stainless steel). Upstand h=100mm with 10mm radius corner covered on the back with AISI 304 stainless steel spot welded profile. 40mm intermediate shelf (8/10 in thickness) can be positioned at three different heights. Base panel in AISI 304 stainless steel (8/10 in thickness) with upturned edges reinforced by stainless steel AISI 304 bars. Welded to the legs for further structure reinforcement. Height adjustable feet (-20/+30 mm) in 304 AISI stainless steel.

- Характеристики

- Конструкция из нержавеющей стали AISI 304.
- Конструкция
- Опции


- 4 колеса (2 с тормозом), диам. 125 мм

PNC 855207 ☐


## PLUS - Static Preparation

### Стол-шкаф с 1 полкой, 2 раздвижными дверцами и бортиком, 2000 мм


**Вид спереди**



**Вид сбоку**



**Вид сверху**



#### Основная информация

|                              |                   |              |
|------------------------------|-------------------|--------------|
| Ширина шкафа:                | 134038 (GTN2010E) | 1918 mm      |
| Глубина шкафа:               |                   | 580 mm       |
| Высота шкафа:                |                   | 580 mm       |
| Габариты, ширина:            |                   | 2000 mm      |
| Габариты, высота:            |                   | 1000 mm      |
| Габариты, глубина:           |                   | 700 mm       |
| Высота бортика:              |                   | 100 mm       |
| Толщина бортика:             |                   | 13 mm        |
| Двери:                       |                   | 2 Скользящий |
| Толщина рабочей поверхности: |                   | 50 mm        |
| Вес нетто:                   |                   | 105 кг       |
| Adjustable Feet              |                   | -20/+30 mm   |

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Казахстан (772)734-952-31

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93