



Модульное тепловое оборудование Modular 85

КАТАЛОГ

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

thermaline: Swiss excellence

a new era in professional cooking



1871 Production, Precision
and Tradition

for over 100 years



Full flexible modular cooking line made composed of:

◆ **Top units**

H=250

◆ **Stand alone units**

H=700 (body height 700mm Hygienic)

◆ **Bases**

(for installation of top units)

H=450 (for total body height including top of 700mm hygienic)

Units can be found in various installation Operating Side configuration:

- ◆ **Stand alone one side against the wall operation** (control panel on one side with backsplash on rear of the unit)

Units can be installed on:

- ◆ **Feet** (feet can be covered with optional closing stainless steel covering plinths)
- ◆ **Stainless steel plinths** (100mm or 200mm height)
- ◆ **On site Concrete** or stainless steel plinths
- ◆ **Wall/cantilever** configurations with optional factory supplied kit (verify with factory possible configurations)

Electric Solid Tops



	588500	588501	588502	588503
External dim. - mm				
width	500	500	800	800
depth	850	850	850	850
height	250	250	250	250
Electric power - kW	6	6	12	12
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•
Zones	2	2	4	4
Ecotop		•		•

Electric Solid Tops - Freestanding



	588680	588681	588682	588683
External dim. - mm				
width	500	500	800	800
depth	850	850	850	850
height	700	700	700	700
Electric power - kW	6	6	12	12
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•
Zones	2	2	4	4
Open base	•	•	•	•
Ecotop		•		•

Gas French Tops



	588504	588690	588684
External dim. - mm			
width	800	800	800
depth	850	850	850
height	250	700	700
Gas Power - kW	10	17	10
Operating side	1-side	1-side	1-side
Backsplash	•	•	•
Open base			•
Gas static oven		•	

Infrared Tops



	588505	588506
External dim. - mm		
width	400	800
depth	850	850
height	250	250
Electric power - kW	8	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash	•	•
Zones	2	4

Induction Tops



	588508	588509
External dim. - mm		
width	400	800
depth	850	850
height	250	250
Electric power - kW	10	20
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash	•	•
Zones	2	4

Induction Wok and Wok and Plates



	588511	588512
External dim. - mm		
width	400	400
depth	850	850
height	250	250
Electric power - kW	5	10
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash	•	•
Zones	1	2
Wok	1	1 - front
Plate		1 - rear

Full Surface Induction Tops on Bases



	588660	588661	588662
External dim. - mm			
width	1000	1000	1000
depth	850	850	850
height	700	700	700
Electric power - kW	28	30	28
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side
Backsplash	•	•	•
Zones	4	4	4
Open base	•		
Warming cabinet		•	
Base with doors			•

Full Surface Induction Tops on Bases - H2



	588514	588517	588518	588519
External dim. - mm				
width	500	1000	1000	1000
depth	850	850	850	850
height	700	700	700	700
Electric power - kW	14	28	30	28
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•
Zones	2	4	4	4
Open base	H2	H2		
Warming cabinet			H2	
Base with doors				H2

Full Surface Induction Tops on Electric Static Oven



	588663	588664
External dim. - mm		
width	1200	1200
depth	850	850
height	700	700
Electric power - kW	33	33
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash	•	•
Zones	4	4
Static oven	•	•
Mixing tap position	left	right

Gas Burner Tops



	588523	588524	588525
External dim. - mm			
width	400	800	1200
depth	850	850	850
height	250	250	250
Gas Power - kW	14	28	42
Operating side	1-side	1-side	1-side
Backsplash	•	•	•
Burners	2	4	6

also available with 10 kW burners

Gas Burner Tops - Ecoflam



	588527	588528	588529
External dim. - mm			
width	400	800	1200
depth	850	850	850
height	250	250	250
Gas Power - kW	14	28	42
Operating side	1-side	1-side	1-side
Backsplash	•	•	•
Ecoflam	•	•	•
Burners	2	4	6

also available with 10 kW burners

Gas Burner Tops on Gas Static Oven



	588691	588692
External dim. - mm		
width	800	800
depth	850	850
height	700	700
Gas Power - kW	35	35
Operating side	1-side	1-side
Backsplash	•	•
Ecoflam		•
Burners	4	4
Gas static oven	•	•

also available with 10 kW burners

Electric Fry Tops - Chrome Plate



	588530	588534	588531	588535	588539
External dim. - mm					
width	400	400	800	800	800
depth	850	850	850	850	850
height	250	250	250	250	250
Electric power - kW	5.1	5.1	15.3	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•	•
Smooth plate	•		•		
Ribbed plate		•		•	
Smooth/ribbed plate					•

Electric Fry Tops - Chrome Plate - Freestanding



	588665	588669	588666	588670	588674
External dim. - mm					
width	400	400	800	800	800
depth	850	850	850	850	850
height	700	700	700	700	700
Electric power - kW	5.1	5.1	15.3	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•	•
Smooth plate	•		•		
Ribbed plate		•		•	
Smooth/ribbed plate					•

Gas Fry Tops - Chrome Plate



	588532	588536	588533	588537	588541
External dim. - mm					
width	400	400	800	800	800
depth	850	850	850	850	850
height	250	250	250	250	250
Gas Power - kW	10	10	20	20	20
Operating side	1-side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•	•
Smooth plate	•		•		
Ribbed plate		•		•	
Smooth/ribbed plate					•

Gas Fry Tops - Chrome Plate - Freestanding



	588667	588671	588668	588672	588676
External dim. - mm					
width	400	400	800	800	800
depth	850	850	850	850	850
height	700	700	700	700	700
Gas Power - kW	10	10	20	20	20
Operating side	1-side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•	•
Smooth plate	•		•		
Ribbed plate		•		•	
Smooth/ribbed plate					•

Electric Free-cooking Tops



	588549	588551	588677	588678
External dim. - mm				
width	500	800	500	800
depth	850	850	850	850
height	250	250	700	700
Electric power - kW	6	12	6	12
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•

Gas Chargrill Tops



	588618	588619	588620
External dim. - mm			
width	400	800	1200
depth	850	850	850
height	250	250	250
Gas Power - kW	10.5	21	31.5
Operating side	1-side	1-side	1-side
Backsplash	•	•	•

Electric Bain Marie Tops



	588552	588553
External dim. - mm		
width	400	800
depth	850	850
height	250	250
Electric power - kW	1.5	3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side

Electric Aquacooker - Freestanding



	588554
External dim. - mm	
width	400
depth	850
height	700
Electric power - kW	7.5
Electrical connection	400V 3N 50/60Hz
Operating side	1-side
El. control	•

Electric Multi Braisers - Freestanding



	588612	588615
External dim. - mm		
width	400	800
depth	850	850
height	700	700
Electric power - kW	5	10.2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash	•	•
GN size	1/1	2/1

Pasta Cookers - Freestanding



	588624	588625	588626	588627
External dim. - mm				
width	400	400	400	400
depth	850	850	850	850
height	700	700	700	700
Gas Power - kW			10.5	
Electric power - kW	5	6		10
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz		400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•
Tank capacity - lt	5x2	20	20	40

Deep Fat Fryers - Freestanding



	588629	588630	588685	588687	588631	588632
External dim. - mm						
width	400	400	400	400	500	500
depth	850	850	850	850	850	850
height	700	700	700	700	700	700
Gas Power - kW				14		21
Electric power - kW	5.4	12	10		18	
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz		400V 3N 50/60Hz	
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•	•	•
Tank capacity - lt	7	5x2	14	14	23	23

Electric Chip Scuttle



	588556
External dim. - mm	
width	400
depth	850
height	250
Electric power - kW	1
Electrical connection	230V 1N 50/60Hz
Operating side	1-side
Backsplash	•

Mixing Tap Units - Freestanding



	588558	588559	588597
External dim. - mm			
width	200	200	200
depth	850	850	850
height	700	700	700
Electric power - kW			0.1
Electrical connection			230V 1N 50/60Hz
Operating side	1-side	1-side	1-side
Backsplash	•	•	•
Lever	•		
Knobs		•	
Automatic			•
Electronic control			•

Closed Work Tops - 100 to 600 mm



	588560	588561	588562	588563	588564	588565
External dim. - mm						
width	100	200	300	400	500	600
depth	850	850	850	850	850	850
height	250	250	250	250	250	250
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•	•	•

Closed Work Tops - 700 to 1500 mm



	588566	588567	588568	588569	588570	588571
External dim. - mm						
width	700	800	900	1000	1200	1500
depth	850	850	850	850	850	850
height	250	250	250	250	250	250
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Backsplash	•	•	•	•	•	•

Sink Unit - Freestanding



	588635
External dim. - mm	
width	400
depth	850
height	700
Operating side	1-side
Backsplash	•

Closed Bases



	588688	588689	588693
External dim. - mm			
width	100	200	300
depth	850	850	850
height	450	450	450

Open Bases (GN Conform)



	588636	588641	588642	588679	588643
External dim. - mm					
width	400	500	600	700	800
depth	850	850	850	850	850
height	450	450	450	450	450
Operating side	1-side	1-side	1-side	1-side	1-side
Capacity	GN	GN	GN	GN	GN

Open Bases



	588637	588638	588639	588640
External dim. - mm				
width	900	1000	1200	1500
depth	850	850	850	850
height	450	450	450	450
Operating side	1-side	1-side	1-side	1-side

Cupboard Bases



	588644	588645	588646	588648	588647
External dim. - mm					
width	400	500	600	800	1000
depth	850	850	850	850	850
height	450	450	450	450	450
Operating side	1-side	1-side	1-side	1-side	1-side
Capacity	GN	GN	GN	GN	GN
Doors	1	1	1	2	2

Open Bases (GN Conform) - H2



	588572	588577	588578	588659	588579
External dim. - mm					
width	400	500	600	700	800
depth	850	850	850	850	850
height	450	450	450	450	450
Operating side	1-side	1-side	1-side	1-side	1-side
Capacity	GN	GN	GN	GN	GN
Hygiene class	H2	H2	H2	H2	H2

Open Bases - H2



	588573	588574	588575	588576
External dim. - mm				
width	900	1000	1200	1500
depth	850	850	850	850
height	450	450	450	450
Operating side	1-side	1-side	1-side	1-side
Hygiene class	H2	H2	H2	H2

Cupboard Bases - H2



	588580	588581	588582	588584	588583
External dim. - mm					
width	400	500	600	800	1000
depth	850	850	850	850	850
height	450	450	450	450	450
Operating side	1-side	1-side	1-side	1-side	1-side
Capacity	GN	GN	GN	GN	GN
Doors	1	1	1	2	2
Hygiene class	H2	H2	H2	H2	H2

Electric Warming Cabinet Bases



	588655	588656	588657	588658
External dim. - mm				
width	500	600	800	1000
depth	850	850	850	850
height	450	450	450	450
Electric power - kW	2	2	2	2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Capacity	GN	GN	GN	GN
Doors	1	1	2	2

Electric Warming Cabinet Bases - H2



	588651	588652	588653	588654
External dim. - mm				
width	500	600	800	1000
depth	850	850	850	850
height	450	450	450	450
Electric power - kW	2	2	2	2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Capacity	GN	GN	GN	GN
Doors	1	1	2	2
Hygiene class	H2	H2	H2	H2

Holding Cabinet Base



	588649
External dim. - mm	
width	800
depth	850
height	450
Electric power - kW	1
Electrical connection	230V 1N 50Hz
Operating side	1-side
Capacity	1/1 GN
Drawers (2)	•

Electric Static Oven Base



	588587
External dim. - mm	
width	800
depth	850
height	450
Electric power - kW	5
Electrical connection	400V 3N 50/60Hz
Operating side	1-side
Static	•

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93