



Модульное тепловое оборудование Modular 90 КАТАЛОГ

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Performance and Versatility



Reliability

thermaline Modular 90 boasts a strong internal frame resistant to bumps and corrosion, thanks to its 2 mm thick AISI 304 stainless steel construction. This unique chassis guarantees structural reliability in any type of installation (on feet, cantilever, stainless steel or concrete plinths).

Swissfinish, available on request, means an optional 3 mm-thick single piece worktop for superior hygiene and sturdiness.



Energy savings

Express your cooking creativity with a 1°C accurate temperature setting. The unique retroilluminated glass display and the highly-visible LED digits, on electric version, provide full control of your operations.

thermaline appliances are designed to reduce water use, energy consumption and environmental emissions.

Most of the electric functions also have stand-by mode for energy saving and quick recovery of maximum power.





Flexibility

There are never enough cooking tops in a high productivity kitchen. Free-cooking tops, acquacooker, multibraisers fit to a variety of cooking techniques and types of food preparation. Flexibility, outstanding results and energy efficiency are guaranteed.



Smart design

Swiss designed with impeccable finishes. The Thermodul seamless connection between cooking functions (ProThermetic boiling and braising pans included) avoids liquid infiltration assuring high level of hygiene.

The smart design of the dropnose top protects the front of the appliances from dirt.

Bases are made according to the H2 hygiene standards and can be made according to the H3 upon request.

Full flexible modular cooking line made of:

► Top units

■ H=250

► Stand alone units

■ H=700 (body height 700 mm Hygienic)

■ H=800 (body height 800 mm)

► Bases (for installation of top units)

■ H=450 (for total body height including top of 700 mm hygienic)

■ H=550 (for total body height of 800 mm)

Units can be found in various installation

Operating Side configurations:

- **Stand alone one side island operation** (control panel found on one side)
- **Stand alone two side island operation** (control panel found on both side of the units)
- **Stand alone one side against the wall operation** (control panel on one side with backsplash on rear of the unit)

Units can be installed on:

- **Feet** (feet can be covered with optional closing stainless steel covering plinths)
- **Stainless steel plinths** (100 mm or 200 mm height)
- **On site concrete** or stainless steel plinths
- **Wall/cantilever** configurations with optional factory supplied kit (verify with factory possible configurations certain units)

Electric Solid Tops - 2 Zones



	■ 589000	■ 589001	■ 589002	■ 589003	■ 589004	■ 589005
External dim. - mm						
Width	500	500	500	500	500	500
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Electric Power - kW	6	6	6	6	6	6
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•
Wall hanging *		•			•	

Electric Solid Tops - 2 Zones - Freestanding - H 700



	■ 589508	■ 589509	■ 589510	■ 589511	■ 589512	■ 589513
External dim. - mm						
Width	500	500	500	500	500	500
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Electric Power - kW	6	6	6	6	6	6
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Electric Solid Tops - 2 Zones - Freestanding - H 800



	■ 589520	■ 589521	■ 589522	■ 589523	■ 589524	■ 589525
External dim. - mm						
Width	500	500	500	500	500	500
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Electric Power - kW	6	6	6	6	6	6
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Electric Solid Tops - 4 Zones



	■ 589006	■ 589007	■ 589008	■ 589009	■ 589010	■ 589011
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Electric Power - kW	16	16	16	16	16	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•
Wall hanging *		•			•	

Electric Solid Tops - 4 Zones - Freestanding - H 700



	■ 589514	■ 589515	■ 589516	■ 589517	■ 589518	■ 589519
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Electric Power - kW	16	16	16	16	16	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Electric Solid Tops - 4 Zones - Freestanding - H 800



	■ 589526	■ 589527	■ 589528	■ 589529	■ 589530	■ 589531
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Electric Power - kW	16	16	16	16	16	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Electric Solid Tops on Warming Cabinet - H 700



	■ 589695	■ 589696	■ 589697	■ 589698	■ 589699	■ 589700
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Electric Power - kW	18.3	18.3	18.3	18.3	18.3	18.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Electric Solid Tops on Warming Cabinet - H 800



	■ 589701	■ 589702	■ 589703	■ 589704	■ 589705	■ 589706
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Electric Power - kW	18.3	18.3	18.3	18.3	18.3	18.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Electric Solid Tops on Oven - H 700



	■ 589649	■ 589650	■ 589651	■ 589652	■ 589653	■ 589654
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Electric Power - kW	21.3	21.3	21.3	21.3	21.3	21.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Electric Solid Tops on Oven - H 800



	■ 589655	■ 589656	■ 589657	■ 589658	■ 589659	■ 589660
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Electric Power - kW	21.3	21.3	21.3	21.3	21.3	21.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Ecotop				•	•	•

Gas French Tops



	■ 589580	■ 589014
External dim. - mm		
Width	1000	1000
Depth	900	900
Height	250	250
Gas Power - kW	12.5	12.5
Operating side	1-side	1-side
Backsplash		•
Wall hanging *		•

Gas French Tops - Freestanding



	■ 589581	■ 589582	■ 589583	■ 589584
External dim. - mm				
Width	1000	1000	1000	1000
Depth	900	900	900	900
Height	700	700	800	800
Gas Power - kW	12.5	12.5	12.5	12.5
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas French Tops on Gas Static Oven - H 700



	■ 589637	■ 589638
External dim. - mm		
Width	1000	1000
Depth	900	900
Height	700	700
Gas Power - kW	19.5	19.5
Operating side	1-side	1-side
Backsplash		•

Gas French Tops on Gas Static Oven - H 800



	■ 589639	■ 589640
External dim. - mm		
Width	1000	1000
Depth	900	900
Height	800	800
Gas Power - kW	19.5	19.5
Operating side	1-side	1-side
Backsplash		•

Infrared Tops - 2 and 4 Zones



	■ 589015	■ 589016	■ 589017	■ 589018	■ 589019	■ 589020
External dim. - mm						
Width	500	500	500	1000	1000	1000
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Electric Power - kW	8	8	8	16	16	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Zones	2	2	2	4	4	4
Wall hanging *		•			•	

Electric Warming Plate Tops



	■ 589144	■ 589145	■ 589502	■ 589503
External dim. - mm				
Width	1000	1000	600	600
Depth	900	900	900	900
Height	250	250	250	250
Electric Power - kW	0.95	0.95	0.55	0.55
Electrical connection	230V 1N 50/60Hz	230V 1N 50/60Hz	230V 1N 50/60Hz	230V 1N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Zones	1	1	1	1
Wall hanging *		•		•

Induction Tops - 2 Zones



	■ 589025	■ 589026	■ 589027
External dim. - mm			
Width	500	500	500
Depth	900	900	900
Height	250	250	250
Electric Power - kW	10	10	10
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side
Backsplash		•	
Wall hanging *		•	

Induction Tops - 4 Zones



	■ 589028	■ 589029	■ 589030
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	250	250	250
Electric Power - kW	20	20	20
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side
Backsplash		•	
Wall hanging *		•	

Induction Tops on Warming Cabinet - 4 Zones



	■ 589671	■ 589672	■ 589673	■ 589674	■ 589675	■ 589676
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	700	700	700	800	800	800
Electric Power - kW	22	22	22	22	22	22
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	

Induction Tops on Oven - 4 Zones



	■ 589665	■ 589666	■ 589667	■ 589668	■ 589669	■ 589670
External dim. - mm						
Width	1000	1000	1000	1000	1000	1000
Depth	900	900	900	900	900	900
Height	700	700	700	800	800	800
Electric Power - kW	25	25	25	25	25	25
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	

Induction Woks



	■ 589034	■ 589035
External dim. - mm		
Width	500	500
Depth	900	900
Height	250	250
Electric Power - kW	5	5
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•

Induction Woks and Plates



	■ 589038	■ 589040	■ 589042
External dim. - mm			
Width	500	500	500
Depth	900	900	900
Height	250	250	250
Electric Power - kW	10	10	10
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side
Backsplash		•	
Wok	fronte	fronte	fronte
Platte	back	back	back

Full Surface Induction Tops on Open Base - H 700



	■ 589043	■ 589046	■ 589049	■ 589052	■ 589055	■ 589058
External dim. - mm						
Width	500	500	500	1000	1000	1000
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Electric Power - kW	14	14	14	28	28	28
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Zones	2	2	2	4	4	4
Passthrough base						•

Full Surface Induction Tops on Open Base - H 800



	■ 589354	■ 589357	■ 589360	■ 589363	■ 589366	■ 589369
External dim. - mm						
Width	500	500	500	1000	1000	1000
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Electric Power - kW	14	14	14	28	28	28
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Zones	2	2	2	4	4	4
Passthrough base						•

Full Surface Induction Tops on Cupboard Base - H 700



	■ 589054	■ 589057	■ 589060
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	700	700	700
Electric Power - kW	28	28	28
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side
Backsplash		•	
Zones	4	4	4

Full Surface Induction Tops on Cupboard Base - H 800



	■ 589365	■ 589368	■ 589371
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	800	800	800
Electric Power - kW	28	28	28
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side
Backsplash		•	
Zones	4	4	4

Full Surface Induction Tops on Warming Cabinet - H 700



	■ 589053	■ 589056	■ 589059
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	700	700	700
Electric Power - kW	30	30	30
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side
Backsplash		•	
Zones	4	4	4

Full Surface Induction Tops on Warming Cabinet - H 800



	■ 589364	■ 589367	■ 589370
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	800	800	800
Electric Power - kW	30	30	30
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	2-side
Backsplash		•	
Zones	4	4	4

Full Surface Induction Tops on Electric Static Oven - H 700



	■ 589585	■ 589586	■ 589603	■ 589604	■ 589587	■ 589605
External dim. - mm						
Width	1200	1200	1200	1200	1200	1200
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Electric Power - kW	33	33	33	33	33	33
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side	2-side	2-side
Backsplash		•		•		
Zones	4	4	4	4	4	4
Mixing tap position	left	left	right	right	left	right

Full Surface Induction Tops on Electric Static Oven - H 800



	■ 589588	■ 589589	■ 589606	■ 589607	■ 589590	■ 589608
External dim. - mm						
Width	1200	1200	1200	1200	1200	1200
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Electric Power - kW	33	33	33	33	33	33
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side	2-side	2-side
Backsplash		•		•		
Zones	4	4	4	4	4	4
Mixing tap position	left	left	right	right	left	right

Gas Burner Tops - 2 Burners



	■ 589068	■ 589069	■ 589070
External dim. - mm			
Width	500	500	500
Depth	900	900	900
Height	250	250	250
Gas Power - kW	20	20	20
Operating side	1-side	1-side	2-side
Backsplash		•	
Wall hanging *		•	

Gas Burner Tops - 4 and 6 Burners



	■ 589071	■ 589072	■ 589073	■ 589074	■ 589075	■ 589076
External dim. - mm						
Width	1000	1000	1000	1500	1500	1500
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Gas Power - kW	40	40	40	60	60	60
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Burners	4	4	4	6	6	6
Wall hanging *		•				

Gas Burner Tops - 2 Burners - Ecoflam



	■ 589079	■ 589080	■ 589081
External dim. - mm			
Width	500	500	500
Depth	900	900	900
Height	250	250	250
Gas Power - kW	20	20	20
Operating side	1-side	1-side	2-side
Backsplash		•	
Wall hanging *		•	

Gas Burner Tops - 4 and 6 Burners - Ecoflam



	■ 589082	■ 589083	■ 589084	■ 589085	■ 589086	■ 589087
External dim. - mm						
Width	1000	1000	1000	1500	1500	1500
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Gas Power - kW	40	40	40	60	60	60
Operating side	1-side	1-side	2-side	1-side	1-side	2-side
Backsplash		•			•	
Burners	4	4	4	6	6	6
Wall hanging *		•				

Gas Burner Tops on Gas Static Oven - H 700



	■ 589641	■ 589642	■ 589615
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	700	700	700
Gas Power - kW	47	47	47
Operating side	1-side	1-side	2-side
Backsplash		•	
Burners	4	4	4
Passthrough oven			•

Gas Burner Tops on Gas Static Oven - H 800



	■ 589645	■ 589646	■ 589617
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	800	800	800
Gas Power - kW	47	47	47
Operating side	1-side	1-side	2-side
Backsplash		•	
Burners	4	4	4
Passthrough oven			•

Gas Burner Tops on Gas Static Oven - Ecoflam - H 700



	■ 589643	■ 589644	■ 589616
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	700	700	700
Gas Power - kW	47	47	47
Operating side	1-side	1-side	2-side
Backsplash		•	
Burners	4	4	4
Passthrough oven			•

Gas Burner Tops on Gas Static Oven - Ecoflam - H 800



	■ 589647	■ 589648	■ 589618
External dim. - mm			
Width	1000	1000	1000
Depth	900	900	900
Height	800	800	800
Gas Power - kW	47	47	47
Operating side	1-side	1-side	2-side
Backsplash		•	
Burners	4	4	4
Passthrough oven			•

Electric Fry Tops - Smooth Chrome Plate



	■ 589088	■ 589089	■ 589090	■ 589091
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	250	250	250	250
Electric Power - kW	5.1	5.1	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Wall hanging *		•		•

Electric Fry Tops - Smooth Chrome Plate - Freestanding - H 700



	■ 589532	■ 589533	■ 589534	■ 589535
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	700	700	700	700
Electric Power - kW	5.1	5.1	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Fry Tops - Smooth Chrome Plate - Freestanding - H 800



	■ 589552	■ 589553	■ 589554	■ 589555
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	800	800	800	800
Electric Power - kW	5.1	5.1	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Fry Tops - Ribbed Chrome Plate



	■ 589096	■ 589097	■ 589098	■ 589099
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	250	250	250	250
Electric Power - kW	5.1	5.1	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Wall hanging *		•		•

Electric Fry Tops - Ribbed Chrome Plate - Freestanding - H 700



	■ 589540	■ 589541	■ 589542	■ 589543
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	700	700	700	700
Electric Power - kW	5.1	5.1	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Fry Tops - Ribbed Chrome Plate - Freestanding - H 800



	■ 589560	■ 589561	■ 589562	■ 589563
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	800	800	800	800
Electric Power - kW	5.1	5.1	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Fry Tops - Smooth/Ribbed Chrome Plate



	■ 589106	■ 589107
External dim. - mm		
Width	800	800
Depth	900	900
Height	250	250
Electric Power - kW	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•
Wall hanging *		•

Electric Fry Tops - Smooth/Ribbed Chrome Plate - Freestanding



	■ 589548	■ 589549	■ 589568	■ 589569
External dim. - mm				
Width	800	800	800	800
Depth	900	900	900	900
Height	700	700	800	800
Electric Power - kW	15.3	15.3	15.3	15.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas Fry Tops - Smooth Chrome Plate



	■ 589092	■ 589093	■ 589094	■ 589095
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	250	250	250	250
Gas Power - kW	10	10	20	20
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas Fry Tops - Smooth Chrome Plate - Freestanding - H 700



	■ 589536	■ 589537	■ 589538	■ 589539
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	700	700	700	700
Gas Power - kW	10	10	20	20
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas Fry Tops - Smooth Chrome Plate - Freestanding - H 800



	■ 589556	■ 589557	■ 589558	■ 589559
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	800	800	800	800
Gas Power - kW	10	10	20	20
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas Fry Tops - Ribbed Chrome Plate



	■ 589100	■ 589101	■ 589102	■ 589103
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	250	250	250	250
Gas Power - kW	10	10	20	20
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Wall hanging *		•		•

Gas Fry Tops - Ribbed Chrome Plate - Freestanding - H 700



	■ 589544	■ 589545	■ 589546	■ 589547
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	700	700	700	700
Gas Power - kW	10	10	20	20
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas Fry Tops - Ribbed Chrome Plate - Freestanding - H 800



	■ 589564	■ 589565	■ 589566	■ 589567
External dim. - mm				
Width	400	400	800	800
Depth	900	900	900	900
Height	800	800	800	800
Gas Power - kW	10	10	20	20
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas Fry Tops - Smooth/Ribbed Chrome Plate



	■ 589110	■ 589111
External dim. - mm		
Width	800	800
Depth	900	900
Height	250	250
Gas Power - kW	20	20
Operating side	1-side	1-side
Backsplash		•
Wall hanging *		•

Gas Fry Tops - Smooth/Ribbed Chrome Plate - Freestanding



	■ 589550	■ 589551	■ 589570	■ 589571
External dim. - mm				
Width	800	800	800	800
Depth	900	900	900	900
Height	700	700	800	800
Gas Power - kW	20	20	20	20
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Free-Cooking Tops



	■ 589126	■ 589127	■ 589130	■ 589131
External dim. - mm				
Width	500	500	1000	1000
Depth	900	900	900	900
Height	250	250	250	250
Electric Power - kW	6	6	16	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Wall hanging *		•		•

Electric Free-Cooking Tops - Freestanding - H 700



	■ 589572	■ 589573	■ 589574	■ 589575
External dim. - mm				
Width	500	500	1000	1000
Depth	900	900	900	900
Height	700	700	700	700
Electric Power - kW	6	6	16	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Free-Cooking Tops - Freestanding - H 800



	■ 589576	■ 589577	■ 589578	■ 589579
External dim. - mm				
Width	500	500	1000	1000
Depth	900	900	900	900
Height	800	800	800	800
Electric Power - kW	6	6	16	16
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Free-Cooking Tops on Warming Cabinet



	■ 589707	■ 589708	■ 589709	■ 589710
External dim. - mm				
Width	1000	1000	1000	1000
Depth	900	900	900	900
Height	700	700	800	800
Electric Power - kW	18.3	18.3	18.3	18.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Free-Cooking Tops on Electric Static Oven



	■ 589661	■ 589662	■ 589663	■ 589664
External dim. - mm				
Width	1000	1000	1000	1000
Depth	900	900	900	900
Height	700	700	800	800
Electric Power - kW	21.3	21.3	21.3	21.3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Gas Chargrill Tops



	■ 589278	■ 589279	■ 589280	■ 589281	■ 589282	■ 589283
External dim. - mm						
Width	400	400	800	800	1200	1200
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Gas Power - kW	10.5	10.5	21	21	31.5	31.5
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Backsplash		•		•		•
Wall hanging *		•		•		•

Electric Bain Marie Tops GN 1/1



	■ 589132	■ 589133	■ 589633	■ 589634	■ 589635	■ 589636
External dim. - mm						
Width	400	400	500	500	500	500
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Electric Power - kW	1.5	1.5	1.5	1.5	1.5	1.5
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Backsplash		•		•		•
Mixing tap position	back	back	left	left	right	right
Wall hanging *		•		•		•

Electric Bain Marie Tops GN 2/1



	■ 589134	■ 589135
External dim. - mm		
Width	800	800
Depth	900	900
Height	250	250
Electric Power - kW	3	3
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•
Mixing tap position	back	back
Wall hanging *		•

Electric Aquacookers - Freestanding - H 700



	■ 589138	■ 589139
External dim. - mm		
Width	400	400
Depth	900	900
Height	700	700
Electric Power - kW	7.5	7.5
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•
Wall hanging *		•

Electric Aquacookers - Freestanding - H 800



	■ 589377	■ 589378
External dim. - mm		
Width	400	400
Depth	900	900
Height	800	800
Electric Power - kW	7.5	7.5
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•

Electric Multi Braisers GN 1/1 - Freestanding - H 700



	■ 589266	■ 589267
External dim. - mm		
Width	400	400
Depth	900	900
Height	700	700
Electric Power - kW	5	5
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•
Wall hanging *		•

Electric Multi Braisers GN 1/1 - Freestanding - H 800



	■ 589435	■ 589436
External dim. - mm		
Width	400	400
Depth	900	900
Height	800	800
Electric Power - kW	5	5
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•

Electric Multi Braisers GN 2/1 - Freestanding - H 700



	■ 589272	■ 589273
External dim. - mm		
Width	800	800
Depth	900	900
Height	700	700
Electric Power - kW	10.2	10.2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•
Wall hanging *		•

Electric Multi Braisers GN 2/1 - Freestanding - H 800



	■ 589441	■ 589442
External dim. - mm		
Width	800	800
Depth	900	900
Height	800	800
Electric Power - kW	10.2	10.2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side
Backsplash		•

Pasta Cookers - Freestanding - H 700



	■ 589290	■ 589291	■ 589471	■ 589472	■ 589473	■ 589474
External dim. - mm						
Width	400	400	400	400	400	400
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Gas Power - kW					11.5	11.5
Electric Power - kW	5	5	6	6		
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz		
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Backsplash		•		•		•
Tank capacity - lt	2x5	2x5	20	20	20	20
Wall hanging *				•		•

Pasta Cookers - Freestanding - H 700



	■ 589292	■ 589293	■ 589294	■ 589295
External dim. - mm				
Width	400	400	400	400
Depth	900	900	900	900
Height	700	700	700	700
Gas Power - kW			16.5	16.5
Electric Power - kW	10	10		
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz		
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	40	40	40	40
Wall hanging *		•		•

Pasta Cookers - Freestanding - H 800



	■ 589447	■ 589448	■ 589475	■ 589476	■ 589477	■ 589478
External dim. - mm						
Width	400	400	400	400	400	400
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Gas Power - kW					11.5	11.5
Electric Power - kW	5	5	6	6		
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz		
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Backsplash		•		•		•
Tank capacity - lt	2x5	2x5	20	20	20	20

Pasta Cookers - Freestanding - H 800



	■ 589449	■ 589450	■ 589451	■ 589452
External dim. - mm				
Width	400	400	400	400
Depth	900	900	900	900
Height	800	800	800	800
Gas Power - kW			16.5	16.5
Electric Power - kW	10	10		
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz		
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	40	40	40	40

Electric Deep Fat Fryers - Freestanding - H 700



	■ 589296	■ 589297	■ 589298	■ 589299
External dim. - mm				
Width	400	400	400	400
Depth	900	900	900	900
Height	700	700	700	700
Electric Power - kW	5.4	5.4	12	12
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	7	7	2x5	2x5

Electric Deep Fat Fryers - Freestanding - H 700



	■ 589498	■ 589499	■ 589300	■ 589301
External dim. - mm				
Width	400	400	500	500
Depth	900	900	900	900
Height	700	700	700	700
Electric Power - kW	10	10	18	18
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	14	14	23	23
Wall hanging *		•		•

Electric Deep Fat Fryers - Freestanding - H 800



	■ 589453	■ 589454	■ 589455	■ 589456
External dim. - mm				
Width	400	400	400	400
Depth	900	900	900	900
Height	800	800	800	800
Electric Power - kW	5.4	5.4	12	12
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	7	7	2x5	2x5

Electric Deep Fat Fryers - Freestanding - H 800



	■ 589500	■ 589501	■ 589457	■ 589458
External dim. - mm				
Width	400	400	500	500
Depth	900	900	900	900
Height	800	800	800	800
Electric Power - kW	10	10	18	18
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	14	14	23	23

Gas Deep Fat Fryers - Freestanding - H 700



	■ 589504	■ 589505	■ 589302	■ 589303
External dim. - mm				
Width	400	400	500	500
Depth	900	900	900	900
Height	700	700	700	700
Gas Power - kW	14	14	21	21
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	14	14	23	23
Wall hanging *		•		•

Gas Deep Fat Fryers - Freestanding - H 800



	■ 589506	■ 589507	■ 589459	■ 589460
External dim. - mm				
Width	400	400	500	500
Depth	900	900	900	900
Height	800	800	800	800
Gas Power - kW	14	14	21	21
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Tank capacity - lt	14	14	23	23

Sink Units - Freestanding



	■ 589308	■ 589309	■ 589465	■ 589466
External dim. - mm				
Width	400	400	400	400
Depth	900	900	900	900
Height	700	700	800	800
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•

Electric Chip Scuttles



	■ 589142	■ 589143
External dim. - mm		
Width	400	400
Depth	900	900
Height	250	250
Electric Power - kW	1	1
Electrical connection	230V 1N 50/60Hz	230V 1N 50/60Hz
Operating side	1-side	1-side
Backsplash		•
Wall hanging *		•

Mixing Tap Tops



	■ 589146	■ 589147	■ 589148	■ 589149
External dim. - mm				
Width	200	200	200	200
Depth	900	900	900	900
Height	250	250	250	250
Operating side	1-side	1-side	1-side	1-side
Backsplash		•		•
Lever	•	•		
Knobs			•	•
Wall hanging *		•		•

Mixing Tap Tops - Freestanding - H 700



	■ 589591	■ 589592	■ 589593	■ 589594	■ 589221	■ 589222
External dim. - mm						
Width	200	200	200	200	200	200
Depth	900	900	900	900	900	900
Height	700	700	700	700	700	700
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Electrical connection					230V 1N 50/60Hz	230V 1N 50/60Hz
Electric Power - kW					0.1	0.1
Backsplash		•		•		•
Lever	•	•				
Knobs			•	•		
Automatik					•	•

Mixing Tap Tops - Freestanding - H 800



	■ 589595	■ 589596	■ 589597	■ 589598	■ 589390	■ 589391
External dim. - mm						
Width	200	200	200	200	200	200
Depth	900	900	900	900	900	900
Height	800	800	800	800	800	800
Operating side	1-side	1-side	1-side	1-side	1-side	1-side
Electrical connection					230V 1N 50/60Hz	230V 1N 50/60Hz
Electric Power - kW					0.1	0.1
Backsplash		•		•		•
Lever	•	•			•	•
Knobs			•	•		
Automatik					•	•

Closed Work Tops - 100 to 300 mm



	■ 589150	■ 589151	■ 589152	■ 589153	■ 589154	■ 589155
External dim. - mm						
Width	100	100	200	200	300	300
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Backsplash		•		•		•
Wall hanging *		•		•		•

Closed Work Tops - 400 to 600 mm



	■ 589156	■ 589157	■ 589158	■ 589159	■ 589160	■ 589161
External dim. - mm						
Width	400	400	500	500	600	600
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Backsplash		•		•		•
Wall hanging *		•		•		•

Closed Work Tops - 700 to 900 mm



	■ 589162	■ 589163	■ 589164	■ 589165	■ 589166	■ 589167
External dim. - mm						
Width	700	700	800	800	900	900
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Backsplash		•		•		•
Wall hanging *		•		•		•

Closed Work Tops - 1000 to 1500 mm



	■ 589168	■ 589169	■ 589170	■ 589171	■ 589172	■ 589173
External dim. - mm						
Width	1000	1000	1200	1200	1500	1500
Depth	900	900	900	900	900	900
Height	250	250	250	250	250	250
Backsplash		•		•		•
Wall hanging *		•				

Closed Bases - H 450



	■ 589599	■ 589601	■ 589631
External dim. - mm			
Width	100	200	300
Depth	900	900	900
Height	450	450	450

Open Bases - H 450



	■ 589174	■ 589179	■ 589180	■ 589496	■ 589181
External dim. - mm					
Width	400	500	600	700	800
Depth	900	900	900	900	900
Height	450	450	450	450	450
Operating side	1-side	1-side	1-side	1-side	1-side

Open Bases - H 450



	■ 589175	■ 589176	■ 589177	■ 589178
External dim. - mm				
Width	900	1000	1200	1500
Depth	900	900	900	900
Height	450	450	450	450
Operating side	1-side	1-side	1-side	1-side

Cupboard Bases - H 450



	■ 589182	■ 589183	■ 589184	■ 589186	■ 589185
External dim. - mm					
Width	400	500	600	800	1000
Depth	900	900	900	900	900
Height	450	450	450	450	450
Operating side	1-side	1-side	1-side	1-side	1-side
Doors	1	1	1	2	2

Passthrough Open Bases 500 - 800mm - H 450



	■ 589193	■ 589194	■ 589188	■ 589195
External dim. - mm				
Width	500	600	700	800
Depth	900	900	900	900
Height	450	450	450	450
Operating side	2-side	2-side	2-side	2-side

Passthrough Open Bases 900 - 1500mm - H 450



	■ 589189	■ 589190	■ 589191	■ 589192
External dim. - mm				
Width	900	1000	1200	1500
Depth	900	900	900	900
Height	450	450	450	450
Operating side	2-side	2-side	2-side	2-side

Passthrough Cupboard Bases - H 450



	■ 589196	■ 589197	■ 589201	■ 589199	■ 589200
External dim. - mm					
Width	500	600	800	1000	1200
Depth	900	900	900	900	900
Height	450	450	450	450	450
Operating side	2-side	2-side	2-side	2-side	2-side
Doors	2	2	4	4	4

Closed Bases - H 550



	■ 589600	■ 589602	■ 589632
External dim. - mm			
Width	100	200	300
Depth	900	900	900
Height	550	550	550

Open Bases - H 550



	■ 589310	■ 589315	■ 589316	■ 589497	■ 589317
External dim. - mm					
Width	400	500	600	700	800
Depth	900	900	900	900	900
Height	550	550	550	550	550
Operating side	1-side	1-side	1-side	1-side	1-side

Open Bases - H 550



	■ 589311	■ 589312	■ 589313	■ 589314
External dim. - mm				
Width	900	1000	1200	1500
Depth	900	900	900	900
Height	550	550	550	550
Operating side	1-side	1-side	1-side	1-side

Cupboard Bases - H 550



	■ 589318	■ 589319	■ 589320	■ 589322	■ 589321
External dim. - mm					
Width	400	500	600	800	1000
Depth	900	900	900	900	900
Height	550	550	550	550	550
Operating side	1-side	1-side	1-side	1-side	1-side
Doors	1	1	1	2	2

Passthrough Open Bases - H 550



	■ 589329	■ 589330	■ 589324	■ 589331
External dim. - mm				
Width	500	600	700	800
Depth	900	900	900	900
Height	550	550	550	550
Operating side	2-side	2-side	2-side	2-side

Passthrough Open Bases - H 550



	■ 589325	■ 589326	■ 589327	■ 589328
External dim. - mm				
Width	900	1000	1200	1500
Depth	900	900	900	900
Height	550	550	550	550
Operating side	2-side	2-side	2-side	2-side

Passthrough Cupboard Bases - H 550



	■ 589332	■ 589333	■ 589337	■ 589335	■ 589336
External dim. - mm					
Width	500	600	800	1000	1200
Depth	900	900	900	900	900
Height	550	550	550	550	550
Operating side	2-side	2-side	2-side	2-side	2-side
Doors	2	2	4	4	4

Electric Warming Cabinet Bases - H 450



	■ 589479	■ 589480	■ 589481	■ 589482
External dim. - mm				
Width	500	600	800	1000
Depth	900	900	900	900
Height	450	450	450	450
Electric Power - kW	1	1	2	2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Doors	1	1	2	2

Not for installation below induction, ecotop, solid top and freecooking top units


Electric Passthrough Warming Cabinet Bases - H 450



	■ 589483	■ 589484	■ 589485	■ 589486
External dim. - mm				
Width	500	600	800	1000
Depth	900	900	900	900
Height	450	450	450	450
Electric Power - kW	1	1	2	2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	2-side	2-side	2-side	2-side
Doors	2	2	4	4

Not for installation below induction, ecotop, solid top and freecooking top units

Electric Warming Cabinet Bases - H 550



	■ 589487	■ 589488	■ 589489	■ 589490
External dim. - mm				
Width	500	600	800	1000
Depth	900	900	900	900
Height	550	550	550	550
Electric Power - kW	1	1	2	2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Doors	1	1	2	2

Not for installation below induction, ecotop, solid top and freecooking top units

Electric Passthrough Warming Cabinet Bases - H 550



	■ 589491	■ 589492	■ 589493	■ 589494
External dim. - mm				
Width	500	600	800	1000
Depth	900	900	900	900
Height	550	550	550	550
Electric Power - kW	1	1	2	2
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	2-side	2-side	2-side	2-side
Doors	2	2	4	4

Not for installation below induction, ecotop, solid top and freecooking top units

Holding Cabinet Base (GN Conform) - H 450



	■ 589467
External dim. - mm	
Width	800
Depth	900
Height	450
Electric Power - kW	4.35
Electrical connection	230V 1N 50Hz
Operating side	1-side
2 Drawers	•

Holding Cabinet Base (GN Conform) - H 550



	■ 589469
External dim. - mm	
Width	800
Depth	900
Height	550
Electric Power - kW	4.35
Electrical connection	230V 1N 50Hz
Operating side	1-side
2 Drawers	•


Electric Static Oven Base



	■ 589609	■ 589610	■ 589611	■ 589612
External dim. - mm				
Width	1000	1000	1000	1000
Depth	900	900	900	900
Height	450	450	550	550
Electric Power - kW	5	5	5	5
Electrical connection	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz	400V 3N 50/60Hz
Operating side	1-side	1-side	1-side	1-side
Passthrough oven		•		•

Not for installation below induction, ecotop, solid top and freecooking top units

Refrigerated Bases



	■ 589677	■ 589678	■ 589679
External dim. - mm			
Width	1000	1200	2000
Depth	900	900	900
Height	550	550	550
Electric Power - kW	0.67	0.76	1.26
Electrical connection	230V 1N 50Hz	230V 1N 50Hz	230V 1N 50Hz
Operating side	1-side	1-side	1-side



Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93